

Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1(Currently amended). A process for the detection or quantification of eosinophils and basophils, ~~characterised in that it comprises~~ comprising:

bringing a sample, optionally containing said eosinophils or basophils, into contact with an IL-5 anti-receptor (alpha chain) monoclonal antibody which does not interfere with the fixing of IL-5 to its receptor and which does not inhibit the biological activity of IL-5; and

detecting, and optionally quantifying, ~~in order to detect and, if desired, to quantify~~ the eosinophils and basophils in said sample.

2(Currently amended). A process according to claim 1, ~~characterised in that~~ wherein the IL-5 anti-receptor monoclonal antibody is an antibody which does not interfere with IgE.

3(Currently amended). A process according to claim 1, ~~or 2,~~ ~~characterised in that~~ wherein the IL-5 anti-receptor monoclonal antibody is an antibody which does not interfere with the cell activation of eosinophils or basophils.

4(Currently amended). A process according to ~~one of claims~~ claim 1 or 2, ~~wherein the detecting step to 3,~~ ~~characterised in that the detection and, if desired, the quantification of eosinophils or basophils~~ uses a flow cytometer or optical scanning cytometer.

5 (Currently amended). A process according to ~~one of claims claim 1 or 2, further comprising to 4, characterised in that, in addition,~~ the sample ~~[[is]]~~ being brought into contact with other monoclonal antibodies directed against other markers of the eosinophil or basophil cell types.

6 (Currently amended). A process according to claim 5, ~~characterised in that~~ wherein the other monoclonal antibodies are directed against the markers CD3, CD16 and CD19.

7 (Currently amended). A process according to ~~one of claims claim 1 or 2, further comprising, for detecting and optionally quantifying, to 6, characterised in that the detection or quantification of~~ activated basophils ~~is carried out by, in addition,~~ bringing the sample into contact with one or more other monoclonal antibodies directed against basophil activation markers.

8 (Currently amended). A process according to claim 7, ~~characterised in that~~ wherein the activation marker is the CD63 antigen.

9 (Currently amended). A process according to ~~one of claims claim 1 or 2, further comprising, for detecting and optionally quantifying activated eosinophils, to 6, characterised in that the detection or quantification of activated eosinophils is carried out by, in addition,~~ bringing the sample into contact with one or more other monoclonal antibodies directed against eosinophil activation markers.

10 (Currently amended). A process for the detection and quantification of activated eosinophils according to claim 9,

~~characterised in that~~ wherein the activation marker is the CD69 antigen.

11(Currently amended). An anti-IL-5R antibody which is characterised by:

binding to both eosinophils and basophils;

[[ - the]] absence of interference with the fixing of IL-5 to its receptor[[,]]; i

[[ - the]] absence of interference with IgE[[,]]; i

[[ - the]] absence of interference with cell activation of eosinophils or basophils[[,]]; and

[[ - the]] absence of inhibition of the biological activity of IL-5.

12(Currently amended). A kit for the detection or quantification of eosinophils and basophils, comprising: containing

[[ - ]] an anti-IL-5R monoclonal antibody according to claim 11 conjugated to a first fluorochrome[[,]]; and

[[ - ]] a mixture of antibody markers for lymphocytes, monocytes and neutrophils, conjugated to a second fluorochrome.

13(Currently amended). A kit for the detection and quantification of activated eosinophils and basophils, comprising: containing

[[ - ]] an anti-IL-5R monoclonal antibody according to claim 11 conjugated to a first fluorochrome[[,]]; i

[[ - ]] a mixture of antibody markers for lymphocytes, monocytes and neutrophils, conjugated to a second fluorochrome; and

[[ - ]] antibodies directed against activation markers and conjugated to a third fluorochrome.

14 (Currently amended). A kit for the detection or quantification of the oxidative activity of eosinophils or basophils, comprising: containing

[[ - ]] an anti-IL-5R monoclonal antibody according to claim 11 conjugated to a first fluorochrome[[ , ]];

[[ - ]] a mixture of antibody markers for lymphocytes, monocytes and neutrophils, conjugated to a second fluorochrome[[ , ]]; and

[[ - ]] a marker substrate for the oxidative activity of eosinophils or basophils.

15 (Currently amended). A kit according to one of claims 12 to 14, which is applied to the study of allergic, parasitic or leukaemic pathologies.

16 (Currently amended). A process, ~~antibody or kit~~ according to claim 1 or 2, wherein one of claims 1 to 15, characterised in that the IL-5 anti-receptor monoclonal antibody is an antibody of the IgG1 type, the corresponding hybridoma of which was ~~deposited~~ deposited with the Collection Nationale de Culture de Micro-organismes (CNCM) under accession no. 1-2068 I-2068.

17 (New). A kit according to one of claims 12 to 14, wherein the IL-5 anti-receptor monoclonal antibody is an antibody of the IgG1 type, the corresponding hybridoma of which was deposited with the Collection Nationale de Culture de Micro-organismes (CNCM) under accession no. I-2068.

Appln. No. 09/787,006  
Amd. dated November 3, 2004  
Reply to Office Action of May 5, 2004

18(New). An IL-15 anti-receptor monoclonal antibody  
produced by the hybridoma deposited with the Collection Nationale de  
Culture de Micro-organismes (CNCM) under accession no. I-2068.